

AUTHOR INDEX

- Aderibigbe, A.O. and Church, D.C. (Oyo State, Nigeria)
 Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209
- Aherne, F.X., *see* Baidoo, S.K. et al.
- Andries, J.I. Buysse, F.X., de Brabander, D.L. and Cottyn, B.G. (Melle-Gontrode, Belgium)
 Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances - a review 169
- Baidoo, S.K., Aherne, F.X. (Edmonton, Alb., Canada), Mitaru, B.N. and Blair, R. (Saskatoon, Sask., Canada)
 Canola meal as a protein supplement for growing-finishing pigs 37
- Baidoo, S.K., Aherne, F.X. (Edmonton, Alb., Canada), Mitaru, B.N. and Blair, R. (Saskatoon, Sask. Canada)
 The nutritive value of canola meal for early-weaned pigs 45
- Barnes, D.A., *see* Brown, D.L. et al.
- Ben-Ghedalia, D. and Solomon, R. (Bet-Dagan, Israel)
 The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
- Blair, R., *see* Baidoo, S.K. et al.
- Brice, R.E., *see* Robinson, P.H. et al.
- Brown, D.L., Barnes, D.A., Rezende, S.A., and Klasing, K.C. (Davis, CA, U.S.A.)
 Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Mediterranean summer 247
- Brunnen, J.M., *see* Clark, P. et al.
- Brunnen, J.M., *see* Givens, D.I. and Brunnen, J.M.
- Buysse, F.X., *see* Andries, J.I. et al.
- Charmley, E. and Greenhalgh, J.F.D. (Aberdeen, Gt. Britain)
 Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
- Church, D.C., *see* Aderibigbe, A.O. and Church, D.C.
- Clark, P., Givens, D.I. and Brunnen, J.M. (Stratford-upon-Avon, Gt. Britain)
 The chemical composition, digestibility and energy value of fodder-beet roots 225
- Coppock, C.E., Lanham, J.K. and Horner, J.L. (College Station, TX, U.S.A.)
 A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89
- Cottyn, B.G., *see* Andries, J.I. et al.
- De Brabander, D.L., *see* Andries, J.I. et al.
- Deschard, G., *see* Tetlow, R.M. et al.
- Deschard, G., Tetlow, R.M. and Mason, V.C. (Maidenhead, Gt. Britain)
 Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283
- Doran, B.E., *see* Goetsch, A.L. et al.
- Fegeros, K., *see* Papadopoulos, G. et al.
- Fontenot, J.P., *see* Rao, N.M. and Fontenot, J.P.
- Funk, M.A., *see* Goetsch, A.L. et al.
- Genizi, A., *see* Goldman, A. et al.
- Givens, D.I. and Brunnen, J.M. (Stratford-on-Avon, Gt. Britain)
 Nutritive value of naked oats for ruminants 83

- Givens, D.I., *see* Clark, P. et al.
- Goetsch, A.L. (Fayetteville, AR, U.S.A.), Owens, F.N., Funk, M.A. and Doran, B.E. (Stillwater, OK, U.S.A.)
 Effect of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151
- Goldman, A., Genizi, A., Yulzari, A. and Seligman, N.G. (Bet Dagan, Israel)
 Improving the reliability of the two-stage in vitro assay for ruminant feed digestibility by calibration against in vivo data from a wide range of sources 233
- Greenhalgh, J.F.D. *see* Charmley, E. and Greenhalgh, J.F.D.
- Hansen, P., *see* Opstvedt, J. et al.
- Horner, J.L., *see* Coppock, C.E. et al.
- James, K.A.C., *see* Smith, W.C. et al.
- Johnson, W.L., *see* van Eys, J.E. et al.
- Karamitros, D. (Giannitsa, Greece)
 Sugar beet molasses for growing fattening pigs 131
- Klasing, K.C., *see* Brown, D.L. et al.
- Lanham, J.K., *see* Coppock, C.E. et al.
- Mason, V.C., *see* Deschard, G. et al.
- Mason, V.C., *see* Tetlow, R.M. and Mason, V.C.
- Mason, V.C., *see* Tetlow, R.M. et al.
- Mitaru, B.N., *see* Baidoo, S.K. et al.
- Morrison, I.M., *see* Robinson, P.H. et al.
- Moughan, P.J., *see* Smith, W.C. et al.
- Opstvedt, J., Sbstad, G. and Hansen, P. (Bergen, Norway)
 Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and sources of fish on protein digestibility and biological value 181
- Owens, F.N., *see* Goetsch, A.L. et al.
- Papadopoulos, G. and Ziras, E. (Athens, Greece)
 Nutrient composition of Greek cottonseed meal 295
- Papadopoulos, G., Fegeros, K. and Ziras, E.
 Evaluation of Greek cottonseed meal. 2. Use in rations for fattening pigs 303
- Pearson, G. *see* Smith, W.C. et al.
- Pulungan, H., *see* van Eys, J.E. et al.
- Rangkuti, M., *see* van Eys, J.E. et al.
- Rao, N.M. and Fontenot, J.P. (Blacksburg, VA, U.S.A.)
 Ensiling of rumen contents and blood with wheat straw 67
- Rezende, S.A., *see* Brown, D.L. et al.
- Robinson, P.H. (Lelystad, The Netherlands), Brice, R.E. and Morrison, I.M. (Ayr, Gt. Britain)
 Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen 75
- Sbstad, G., *see* Opstvedt, J. et al.
- Seligman, N.G., *see* Goldman, A. et al.
- Smith, W.C., Moughan, P.J., Pearson, G. and James, K.A.C. (Palmerston North, New Zealand)
 Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs 143
- Solomon, R., *see* Ben-Ghedalia, D. and Solomon, R.
- Tetlow, R.M. and Mason, V.C. (Maidenhead, Gt. Britain)
 Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257

Tetlow, R.M., Mason, V.C. and Deschard, G. (Maidenhead, Gt. Britain)	
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
Tetlow, R.M., <i>see</i> Deschard, G. et al.	
Van Es, A.J. H. (Lelystad, The Netherlands)	
Book review of <i>The Voluntary Food Intake of Farm Animals</i>	166
Van Eys, J.E., Johnson, W.L. (Raleigh, NC, U.S.A.) Pulungan, H. and Rangkuti, M. (Bogor, Indonesia)	
Cassava meal as supplement to napier grass diets for growing sheep and goats	197
Verde, L.S. (Balcarce, Argentina)	
Book review of <i>Research Methodology for Livestock On-Farm Trials</i> , Thomas L. Nordblom, Awad El Karim Hamid Ahmed and Gordon R. Potts (Editors)	165
Wood, J.F. (London, Gt. Britain)	
The functional properties of feed raw materials and their effect on the production and quality of feed pellets	1
Yulzari, A., <i>see</i> Goldman, A. et al.	
Ziras, E., <i>see</i> Papadopoulos, G. and Ziras, E.	
Ziras, E., <i>see</i> Papadopoulos, G. et al.	



SUBJECT INDEX

Alkali

- Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
- Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
- Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283

Alkaloids

- Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Mediterranean summer 247

Assays

- Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration against in-vitro data from a wide range of sources 233

Barley

- The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55
- Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen 75
- Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content 257
- Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271

Blood

- Ensiling of rumen contents and blood with wheat straw 67

Broiler chickens

- Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Mediterranean summer 247

Calves

- Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181

Canavanine

- Yield, composition and feeding value of irrigated *Sesbania sesban* var. *Nubia* leaves harvested at latitude 38°N during a Mediterranean summer 247

Canola meal

- Canola meal as a protein supplement for growing-finishing pigs 37
- The nutritive value of canola meal for early-weaned pigs 45

Carbohydrate

- The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep 55

Cardboard

- Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209

Cassava meal

- Cassava meal as supplement to napier grass diets for growing sheep and goats 197

Cattle

- A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89

Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers	151
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review	169
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value	181
Cereals	
Nutritive value of three cultivars of triticale for sheep, pigs and poultry	19
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs	143
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content	257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia	283
Chemical Composition	
The chemical composition, digestibility and energy value of fodder-beet roots	225
Treatment of whole-crop cereal with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content	257
Nutrient composition of Greek cottonseed meal	295
Chickens	
Yield, composition and feeding value of irrigated <i>Sesbania sesban</i> var. <i>Nubia</i> leaves harvested at latitude 38°N during a Mediterranean summer	247
Chromic oxide	
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs	143
Corn	
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers	151
Cottonseed	
A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle	89
Cottonseed Meal	
Nutrient composition of Greek cottonseed meal	295
Evaluation of Greek cottonseed meal. 2. Use in rations for fattening pigs	303
Degradation	
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen	75
Digestibility	
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep	55
Nutritive value of naked oats for ruminants	83
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value	181
The chemical composition, digestibility and energy value of fodder-beet roots	225
Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration against in-vitro data from a wide range of sources	233

Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content	257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia	283
Digestion	
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers	151
Diets	
A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle	89
Sugar beet molasses for growing and fattening pigs	131
Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers	151
Cassava meal as supplement to napier grass diets for growing sheep and goats	197
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants	209
Yield, composition and feeding value of irrigated <i>Sesbania sesban</i> var. <i>Nubia</i> leaves harvested at latitude 38°N during a Mediterranean summer	247
Evaluation of Greek cottonseed meal. 2. Use in rations for fattening pigs	303
Energy values	
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs	143
Ensiling	
Ensiling of rumen contents and blood with wheat straw	67
Treatment of whole-crop cereal with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content	257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia	283
Feed	
The Voluntary Food Intake of Farm Animals (book review)	166
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants	209
Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration against in-vitro data from a wide range of sources	233
Feed pellet durability	
The functional properties of feed raw materials and their effect on the production and quality of feed pellets	1
Feed production	
The functional properties of feed raw materials and their effect on the production and quality of feed pellets	1
Fish protein	
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value	181
Fodder-beet	
The chemical composition, digestibility and energy value of fodder-beet roots	225
Goats	
Cassava meal as supplement to napier grass diets for growing sheep and goats	197

Hay

- Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151

Heifers

- Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151

Ingredients

- The functional properties of feed raw materials and their effect on the production and quality of feed pellets 1

Intake

- Canola meal as a protein supplement for growing-finishing pigs 37
- The nutritive value of canola meal for early-weaned pigs 45
- The Voluntary Food Intake of Farm Animals (book review) 166
- Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide 271
- Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia 283
- Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review 169

Livestock trials

- Research Methodology for Livestock On-Farm Trials (book review) 165

Milk replacers

- Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value 181

Molasses

- Sugar beet molasses for growing and fattening pigs 131

Napier Grass

- Cassava meal as supplement to napier grass diets for growing sheep and goats 197

Nutrients

- Nutrient composition of Greek cottonseed meal 295

Nutrition

- Nutritive value of three cultivars of triticale for sheep, pigs and poultry 19
- Canola meal as a protein supplement for growing-finishing pigs 37
- The nutritive value of canola meal for early-weaned pigs 45
- Nutritive value of naked oats for ruminants 83
- A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89
- Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review 169

Oats

- Nutritive value of naked oats for ruminants 83

Paper

- Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants 209

Passage rate

- Effects of whole or ground corn with different forms of hay in 85% concentrate diets on digestion and passage rate in beef heifers 151

Performance

- Canola meal as a protein supplement for growing-finishing pigs 37
- The nutritive value of canola meal for early-weaned pigs 45
- A review of the nutritive value and utilization of whole cottonseed, cottonseed meal and associated by-products by dairy cattle 89

Sugar beet molasses for growing and fattening pigs	131
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review	169
Pigs	
Nutritive value of three cultivars of triticale for sheep, pigs and poultry	19
Canola meal as a protein supplement for growing-finishing pigs	37
The nutritive value of canola meal for early-weaned pigs	45
Sugar beet molasses for growing and fattening pigs	131
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs	143
Evaluation of Greek cottonseed meal. 2. Use in rations for fattening pigs	303
Poultry	
Nutritive value of three cultivars of triticale for sheep, pigs and poultry	19
Poultry Waste	
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants	209
Protein	
The functional properties of feed raw materials and their effect on the production and quality of feed pellets	1
Canola meal as a protein supplement for growing-finishing pigs	37
The nutritive value of canola meal for early-weaned pigs	45
Rats	
Comparative bioavailable energy values of five ground cereal grains measured with growing rats and pigs	143
Research methods	
Research Methodology for Livestock On-Farm Trials (book review)	165
Rumen	
Ensiling of rumen contents and blood with wheat straw	67
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen	75
Ruminants	
Nutritive value of naked oats for ruminants	83
Isoacids in ruminant nutrition: their role in ruminal and intermediary metabolism and possible influences on performances — a review	169
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants	209
Improving the reliability of the two-stage in-vitro assay for ruminant feed digestibility by calibration against in-vitro data from a wide range of sources	233
Rye	
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content	257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
<i>Sesbania sesban</i> var. <i>Nubia</i>	
Yield, composition and feeding value of irrigated <i>Sesbania sesban</i> var. <i>Nubia</i> leaves harvested at latitude 38°N during a Mediterranean summer	247
Sheep	
Nutritive value of three cultivars of triticale for sheep, pigs and poultry	19
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep	55
Nutritive value of naked oats for ruminants	83
Cassava meal as supplement to napier grass diets for growing sheep and goats	197

Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia	283
Starch	
The functional properties of feed raw materials and their effect on the production and quality of feed pellets	1
Straw	
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep	55
Ensiling of rumen contents and blood with wheat straw	67
Effect of straw treatments and laboratory of incubation on degradation of neutral detergent residue in the rumen	75
Sugar beet	
Sugar beet molasses for growing and fattening pigs	131
Treatments	
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep	55
Effect of straw treatment and laboratory of incubation on degradation of neutral detergent residue in the rumen	75
Fish protein concentrates for pre-ruminant calves: effects of processing temperatures and source of fish on protein digestibility and biological value	181
Evaluation of cardboard and dried poultry waste as feed ingredients for ruminants	209
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content	257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
Triticale	
Nutritive value of three cultivars of triticale for sheep, pigs and poultry	19
Wheat	
The effect of dietary barley on carbohydrate digestibility of sulphur dioxide-treated wheat straw by sheep	55
Ensiling of rumen contents and blood with wheat straw	67
Treatment of whole-crop cereals with alkali. 1. The influence of sodium hydroxide and ensiling on the chemical composition and in vitro digestibility of rye, barley and wheat crops harvested at increasing maturity and dry matter content	257
Treatment of whole-crop cereals with alkali. 2. Voluntary intake and digestibility by sheep of rye, barley and wheat crops ensiled with sodium hydroxide	271
Treatment of whole-crop cereals with alkali. 3. Voluntary intake and digestibility studies in sheep given immature wheat ensiled with sodium hydroxide, urea or ammonia	283

